

Multi Tool Plate

Art.-No. 51150



MANUFACTURE

- Polypropylene
- Black & yellow
- Approx. 28 x 5.5 x 3.5cm (l x w x h)

AREA OF USE

- Walls, ceilings, built-in cabinets, wall panels, (kitchen) fronts, doors and other indoor and outdoor surfaces
- Hard-to-reach, narrow and/or high spots
- Floors in small rooms (single apartments, small city apartments etc.)
- Small balcony & terrace floors
- Sun rooms
- Cold frame glass lids
- Fly screens
- Swimming pools
- Tents and pavilions
- Truck tarpaulins
- Car roofs
- Market stalls
- Boats
- RV/caravan

USE

Use the Multi Tool Plate with the Combi Base and the matching Multi Tool Fibre as Multi Tool.

To attach the Plate to the Combi Base, slide the yellow Tabs of the Plate up to the outer marking, insert the Combi Base and slide back the yellow Tabs.

SELLING POINTS

Our Multi Tool Plate is a perfect addition to ENJO's Combiwiper. The wide and even contact surface effortlessly removes dirt just with water.

The Plate is flexible, which allows an easy, flowing cleaning movement. In addition, this reduces strain on your wrist while cleaning.

Compared to the Combiwiper, the cleaning surface is 2 times larger; therefore you save a lot of time when cleaning large surfaces.

Areas that are difficult to access and/or high places and ceilings can be cleaned quickly, easily and ergonomically in combination with the Telescopic Pole. To allow yourself more freedom of movement, use the Twister, if necessary.

Thanks to its slim line and extended range, the Multi Tool allows an ergonomic cleaning position in hard-to-reach areas such as narrow stairways, gaps, etc.

COMPANION PRODUCTS

- Combi Base
- Multi Tool Fibre Soft, Medium and Strong
- Aluminium Channel & Rubber 28cm
- Window/Living/Outdoor ENJOfil
- Telescopic Pole
- Twister

DEMONSTRATION

Explain and demonstrate to your guests the quick and easy handling and the versatile use of the Combiwiper in combination with ENJO's Multi Tool.

1. **WIDE, EVEN CONTACT SURFACE**
loosens dirt quickly and easily

2. **FLEXIBLE PLATE**
for easy, flowing movements, gentle on the wrist

3. **CAN BE COMBINED**
with Telescopic Pole and Twister



4. **SUSTAINABLE**
simply mount the Plate and fibre on the Combiwiper – you don't need a new, additional cleaning device for this

5. **2 TIMES LARGER CLEANING AREA**
compared to the Combiwiper



Watch video: <https://bit.ly/assembling-multi-tool>

Multi Tool Plate

Art.-No. 51150

ENJO TIPS

Ceilings can be simply cleaned overhead with the Multi Tool Plate.

The Tabs are slightly harder to push during the first 3-4 applications and will become more flexible after several applications.

To clean the Tabs and the Plate, the Tabs can be easily removed.

NOTE

Please note that our Multi Tool Plate is only compatible with the Combi Base 5th generation (Art. No. 51100, launched in 2015).

When cleaning high surfaces, make sure that the rubber lip is in good contact with the surface when drawing off. The angle is slightly steeper than when using the Combiwiper.

If you are cleaning high surfaces and arrive at the lower area, simply turn the Telescopic Pole around to clean this area.

If you draw off water from the surface with the rubber lip after cleaning, just take off the Telescopic Pole for the lower area. This is quick and easy.



Multi Tool Plate

Art.-No. 51150

INSTRUCTION ON ASSEMBLING THE MULTI TOOL

1.

Remove the Combi Base Attachment and the Extension Pair.



2.

Push both Tabs of the Multi Tool Plate out to the outer mark.



3.

Place the Combi Base on the Multi Tool Plate. When you release the Combi Base so that it rests on the table/surface, it will be in the perfect position to insert the sliders.



4.

Push both Tabs of the Multi Tool Plate inwards to fix the Combi Base to the Plate.



ATTACHING THE MULTI TOOL FIBRE

1.

Position the fibre so that the label is on the right side and the rubber band is on the left side.



2.

Hold the rubber band of the fibre with your index finger and thumb and insert the Multi Tool Plate into the right side of the fibre.



3.

Lift the rubber loop and pull it over the plate.



Multi Tool Plate

Art.-No. 51150

INSTRUCTION ON INSERTING THE ALUMINIUM CHANNEL WITH RUBBER INTO THE COMBI BASE

1.

Open the yellow closing flap.



2.

Insert Aluminium Channel & Rubber into the attachment so that the two triangles are in the same position.



3.

Fixate the Channel by closing the flap.



INSTRUCTION ON ATTACHING THE TELESCOPIC POLE, THE POWER GRIP AND THE TWISTER

1.

Hold the Multi Tool in your hand. Both thumbs are on the black splint. Press the splint out with both thumbs.



2.

Remove the yellow hanger by twisting it.



COMBINE WITH TELESCOPIC POLE

Insert the Telescopic Pole firmly and turn it so that the holes of the Multi Tool and the Pole are in the same position. Fix it with the black Splint.



COMBINE WITH THE POWER GRIP

Insert the Power Grip and turn until the holes of the Power Grip and the holes of the Multi Tool are in the same position. Now fixate with the black splint.



COMBINE WITH THE TWISTER AND THE POWER GRIP OR TELESCOPIC POLE

Insert the Twister and turn until the holes of the Twister and the holes of the Multi Tool are in the same position. Now fixate with the black splint.



Multi Tool Plate

Art.-No. 51150

WINDOW CLEANING INSTRUCTIONS

1.

Spray water directly on the window or spray the fibre with water from the Spraybottle.



Optionally, you can wet one half of the fibre with water from the tap, fold it together and gently squeeze out excess water.



2.

Clean the window with the fibre.



3.

Fix the Attachment and Rubber Lip on the Multi Tool.



4.

Draw off the water with the Rubber Lip without pressure.



5.

Absorb the drawn off water with the fibre approx. 10cm from the frame.



6.

Dry the Rubber Lip every time after drawing off water.



7.

Draw off the water from the lowest strip sideways.



8.

Catch drops of water with the Window ENJOfil.



9.

Dry off excess water with the Window ENJOfil.



Multi Tool Fibre Soft

Art.-No. 50250 



MANUFACTURE

- Tufting
- Insertion flaps made of highly tear-resistant polyester fabric
- Light blue
- 55% polyester/45% cotton
- Approx. 28.5 x 7.5cm

AREA OF USE

- Delicate walls, ceilings, built-in cabinets, wall panels, (kitchen) fronts, doors and other surfaces indoors
- Delicate hard-to-reach, narrow and/or high spots
- Delicate floors in small rooms (single apartments, small city apartments etc.)
- Smooth and high-gloss surfaces
- High-gloss tiles and natural stones (marble and terracotta tiles, stone, ceramics, etc.)
- Waxed, oiled and non-sealed surfaces
 - Natural wood
 - Rubber
 - Cork
 - Linoleum
 - Matt paint
 - Chrome steel
 - Acrylic glass (incl. Parapan®)
 - Rubbing varnish

USE

- Dry to damp

When applied slightly damp, the surfaces dry quickly and leave a perfectly shiny cleaning result.

Moisten the Multi Tool Fibre Soft using water from the Spraybottle or Pumpbottle and clean the surface.

SELLING POINTS

The Multi Tool allows the cleaning of large surfaces quickly and easily and is therefore, in combination with the Multi Tool Fibre Soft, the perfect addition to our Living Soft Cloth/Living Glove Soft.

Ideal also for the practical and easy cleaning of floors in small rooms (single apartments, small city apartments etc.).

Areas that are difficult to access and/or high places and ceilings can be cleaned quickly, easily and ergonomically in combination with the Telescopic Pole. To allow yourself more freedom of movement, use the Twister, if necessary.

The special fibre design makes it possible to clean sensitive, waxed and oiled surfaces without wearing off the wax/oil. High-gloss tiles will always look smudged using standard cleaners (streaks). With our fibre only water is used, which does not leave any streaks.

The Multi Tool Fibre Soft is also used for drying after cleaning with the Multi Tool Fibre Medium.

COMPANION PRODUCTS

- Combi Base
- Multi Tool Plate
- Telescopic Pole
- Twister

1. **TIME SAVING**
when cleaning
a variety of surfaces

2. **TOXIC
CLEANERS**
are no longer
needed

3. **VERSATILE USE**
for walls, ceilings, front panels,
doors and much more



4. **LARGE SURFACES**
clean in no time

5. **SPECIAL FIBRES**
for sensitive surfaces



Watch video: <https://bit.ly/multi-tool-fibre-soft>

Multi Tool Fibre Soft

Art.-No. 50250 




ENJO TIPS

After washing in the washing machine, shake out briefly so that the fibre becomes fluffy again.

It is in the nature of fibres that they shrink when washed. Each fibre behaves a little differently depending on the material composition and manufacturing technology. The Multi Tool Fibre Soft with its cotton content and the tightly woven base can shrink a little more than other products and has a firmer grip.

Hint: If the Multi Tool Fibre Soft is hard to put on the Plate, use your finger to lift the rubber band and pull the fibre on the Plate (instead of lifting with the ribbon).



How to get the Multi Tool Fibre Soft back into shape?

Hint 1: Draw the wet fibre in length after washing in the washing machine.

Hint 2: Put the wet fibre on the Multi Tool Plate after washing in the washing machine and let it dry on the Plate.

DEMONSTRATION

Demonstrate how quickly and easily a surface, such as a door or a kitchen front, can be cleaned.

NOTE

Not suitable for very rough surfaces, as the fibre loops can get caught and wear out the fibre.

When cleaning high-gloss surfaces and matt painted surfaces, make sure that there are no residues in the fibre that may scratch the surfaces. Therefore, shake out the fibre before use.

Multi Tool Fibre Medium

Art.-No. 50251



MANUFACTURE

- Woven fabric
- Insertion flaps made of highly tear-resistant polyester fabric
- Speckled blue
- 100% polyester
- Approx. 28.5 x 7.5cm

AREA OF USE

- Sealed walls, ceilings, built-in cabinets, wall panels, (kitchen) fronts, doors and other surfaces indoors
- Sealed hard-to-reach, narrow and/or high spots
- Interior RV/caravan
- Sealed floors in small rooms (single apartments, small city apartments etc.)
- Sealed surfaces
 - Laminate
 - PVC and vinyl
 - Natural wood
 - Tiles smooth & rough (ceramic, porcelain stoneware, etc.)
 - Natural stone (slate, shell limestone, granite, gneiss, quartzite, marble)
 - Cast or laid concrete
 - Cork
 - Concrete blocks (terrazzo) cast or laid

USE

- Dry to wet

Moisten the Multi Tool Fibre Medium using water from the Spraybottle or Pumpbottle and clean the surface.

Alternatively, you can moisten half of the Multi Tool Fibre Medium with water from the tap, fold it up and press lightly to squeeze out excess water.

If used wet, you can either dry the surface with the dry Multi Tool Fibre Soft or remove the water using the Aluminium Channel & Rubber 28cm. Use the Living ENJOfil to dry the rubber lip.

The Multi Tool Fibre Medium is also used for drying once you're finished cleaning with the Multi Tool Fibre Strong.

SELLING POINTS

The Multi Tool allows the cleaning of large surfaces quickly and easily and is therefore, in combination with the Multi Tool Fibre Medium, the perfect addition to our Living Medium Cloth/Living Duoglove Medium/Strong.

Ideal also for the practical and easy cleaning of floors in small rooms (single apartments, small city apartments etc.).

Areas that are difficult to access and/or high places and ceilings can be cleaned quickly, easily and ergonomically in combination with the Telescopic Pole. To allow yourself more freedom of movement, use the Twister, if necessary.

The Multi Tool Fibre Medium is a great all-round product that ensures quick and thorough cleaning in the entire home.


COMPANION PRODUCTS

- Combi Base
- Multi Tool Plate
- Multi Tool Fibre Soft
- Living ENJOfil
- Aluminium Channel & Rubber 28cm
- Telescopic Pole
- Twister

1
TIME SAVING
when cleaning
a variety of surfaces

2
SMALL FLOOR AREAS
practical and easy to clean

3
ALLROUNDER
for the entire home



4
SUSTAINABLE
simply mount the Plate and fibre on
the Combi Base – you don't need a
new, additional cleaning device for this

5
IDEAL FOR WIPING
surfaces that have been pre-
cleaned with the Multi Tool Fibre
Strong



Watch video: <https://bit.ly/multi-tool-fibre-medium>

Multi Tool Fibre Medium

Art.-No. 50251 



ENJO TIPS

In case of very persistent staining, you can also use some Orange Blossom. Real Soap to clean with: Apply a few drops of Orange Blossom. Real Soap to the Multi Tool Fibre Medium and distribute the soap evenly on the surface to be cleaned. Leave the soap to work for three minutes. Rinse the Multi Tool Fibre Medium and remove the dissolved dirt.

DEMONSTRATION

Demonstrate how quickly and easily a surface, such as bathroom tiles, a door or a kitchen front, can be cleaned.

NOTE

Do not use on oiled surfaces.

Multi Tool Fibre Strong

Art.-No. 50252 



MANUFACTURE

- Knitwear, classic Jacquard (long pile)
- Insertion flaps made of highly tear-resistant polyester fabric
- Dark blue
- 100% polyester
- Approx. 28 x 7.5cm

AREA OF USE

- Hard-wearing walls, ceilings, built-in cupboards, wall panels, doors and other indoor & outdoor surfaces
- Hard-wearing hard-to-reach, narrow and/or high spots
- Hard-wearing floors in small rooms (single apartments, small city apartments etc.)
- Small balcony & terrace floors
- Windows
- Hard-wearing surfaces
 - Structured PVC (especially suitable for nubs)
 - Slate
 - Terrace floorboards (natural wood, plastic compound)
 - Safety tiles
 - Poured or laid concrete
- Sun rooms
- Cold frame glass lids
- Fly screens
- Swimming pools
- Tents and pavilions
- Truck tarpaulins
- RV/caravan
- Car roofs
- Market stalls
- Boats

USE

- Wet

Wet the Multi Tool Fibre Strong using water from the Spraybottle or Pumpbottle and clean the surface.

Alternatively, you can moisten half of the Multi Tool Fibre Strong with water from the tap, fold it up and press lightly to squeeze out excess water.

Either dry with the dry Multi Tool Fibre Medium or remove the water with the Aluminium Channel & Rubber 28cm. Depending on the application, use the Windows/Living/Outdoor ENJOfil to dry the rubber lip.

SELLING POINTS

The Multi Tool allows the cleaning of large surfaces quickly and easily and is therefore, in combination with the Multi Tool Fibre Strong, the perfect addition to our Living Duoglove Medium/Strong and our Combiwiper.

The intensive cleaning power of the strong fibre removes even heavy soiling quickly and effectively. Due to the fine fibres, even very compact or fine surfaces are thoroughly cleaned.

Also ideal for practical and easy cleaning of floors in small rooms (single apartments, small city apartments etc.) as well as small balcony & terrace floors.

Areas that are difficult to access and/or high places and ceilings can be cleaned quickly, easily and ergonomically in combination with the Telescopic Pole. To allow yourself more freedom of movement, use the Twister, if necessary.



Watch video: <https://bit.ly/multi-tool-fibre-strong>

Multi Tool Fibre Strong

Art. No.-50252 



COMPANION PRODUCTS

- Combi Base
- Multi Tool Plate
- Aluminium Channel & Rubber
28cm
- Window/Living/Outdoor ENJOfil
- Multi Tool Fibre Medium
- Telescopic Pole
- Twister

ENJO TIPS

In case of very persistent staining, you can also use some Orange Blossom. Real Soap to clean with: Apply a few drops of Orange Blossom. Real Soap to the Multi Tool Fibre Strong and distribute the soap evenly on the surface to be cleaned. Leave the soap to work for three minutes. Rinse the Multi Tool Fibre Strong and remove the dissolved dirt.

If you rinse the Multi Tool Fibre Strong during cleaning, fold the wet fibre to squeeze out the excess water. Important: Do not wring!



DEMONSTRATION

Demonstrate how quickly and easily a surface, such as a window, balcony floor or sun room can be cleaned.

NOTE

Do not use on oiled surfaces.

Multi Tool Fibre Bathroom

Art.-No. 50168 



MANUFACTURE

- Knitwear, classic Jacquard (long pile)
- Insertion flaps made of highly tear-resistant polyester fabric
- White
- 100% polyester
- Approx. 28 x 7.5cm

AREA OF USE

- Bathroom, sanitary facilities and laundry rooms
- Walls & ceilings
- Tiles
- Shower cabins

USE

- Damp to wet

Dampen the Multi Tool Fibre Bathroom using water from the Spraybottle or Pumpbottle and clean the surface.

Optionally, you can wet half of the Multi Tool Fibre Bathroom with water from the tap, fold it up and press lightly to squeeze out excess water.

Draw off the water with the Aluminium Channel & Rubber and dry the rubber with the Bathroom ENJOfil.

SELLING POINTS

The Multi Tool allows the cleaning of large surfaces quickly and easily and is therefore, in combination with the Multi Tool Fibre Bathroom, the perfect addition to our Bathroom Glove.

Areas that are difficult to access and/or in high places and ceilings can be cleaned easily, quickly and ergonomically in combination with the Telescopic Pole. To allow yourself more freedom of movement, use the Twister, if necessary.

Thanks to the intensive cleaning power of the fibre, surfaces in bathrooms, sanitary rooms and washrooms are cleaned pore-deep. Also ideal for handy and easy cleaning of floors in very small sanitary rooms.

Due to the fine fibre strands, even very compact or fine surfaces are thoroughly cleaned.

COMPANION PRODUCTS

- Combi Base
- Multi Tool Plate
- Aluminium Channel & Rubber 28cm
- Bathroom ENJOfil
- Telescopic Pole
- Twister

ENJO TIPS

If cleaning with our white fibre is not sufficient (or if it is severely calcified), apply a few drops of Calcium Dissolver to the fibre and clean the surface. Rinse with water.

DEMONSTRATION

Demonstrate how to quickly and easily clean a surface, for example the shower cabin. Ask guests to run their hands over the surface - the ENJO-cleaned part is completely smooth, the other rough.

NOTE

Very hard water can act like sandpaper on the surface to be cleaned and leave scratches on delicate materials (e.g. acrylic glass). In this case, treat the surface with Citrus Blossom. Calcium Dissolver beforehand.

1. **LARGE SURFACES**
quickly cleaned

2. **HYGIENICALLY CLEAN**
bathroom

3. **CLEANS PORES DEEPLY**
with perfect cleaning result



4. **BATHROOM AND SHOWER CABINS**
hygienically clean with water only

5. **SHINY PURE**
tiles